

(As on 26.11.2021)

COAL INDIA LIMITED									
MARKETING & SALES DIVISION									
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT									
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
Haryana									
1	RAIL	INDIRA GANDHI STPP	16.15	221.28	0	221.28	14		
2	RAIL	MAHATMA GANDHI TPS	11.25	69.14	0	69.14	6		Materialization against the ACQ is more than trigger level
3	RAIL	PANIPAT TPS	7.83	49.31	0	49.31	6		Materialization against the ACQ is more than trigger level
4	RAIL	RAJIV GANDHI TPS	11.2	293.8	0	293.8	26		
5	RAIL	YAMUNA NAGAR TPS	5.2	123.83	0	123.83	24		
Punjab									
6	RAIL-1500	GH TPS (LEH.MOH.)	8.59	186.57	0	186.57	22		
7	RAIL-1500	GOINDWAL SAHIB TPP	4.85	0.91	0	0.91	0		Materialization against the ACQ is more than trigger level
8	RAIL	RAJPURA TPP	9.15	158.39	0	158.39	17		
9	RAIL	ROPAR TPS	7.76	125.6	0	125.6	16		
10	RAIL-1500	TALWANDI SABO TPP	23.21	92.65	0	92.65	4		Materialization against the ACQ is more than trigger level
Rajasthan									
11	RAIL	CHHABRA-I PH-1 TPP	5.42	15.68	0	15.68	3		Materialization against the ACQ is more than trigger level
12	RAIL	KAWAI TPS	16.45	92.28	0	92.28	6		Materialization against the ACQ is more than trigger level
13	RAIL	KOTA TPS	17.15	145.35	0	145.35	8		
14	RAIL-1500	SURATGARH TPS	13.21	77.32	0	77.32	6		Materialization against the ACQ is more than trigger level
Uttar Pradesh									
15	PITHEAD	ANPARA C TPS	15.57	25.78	0	25.78	2		Materialization against the ACQ is more than trigger level
16	PITHEAD	ANPARA TPS	29.04	328.8	0	328.8	11		
17	RAIL	BARKHERA TPS	0.77	4.03	0	4.03	5		Materialization against the ACQ is more than trigger level
18	RAIL	DADRI (NCTPP)	16.19	394.84	19.07	413.91	26		
19	RAIL	HARDUAGANJ TPS	5.17	141.43	0	141.43	27		
20	RAIL	KHAMBARKHERA TPS	0.77	4.17	0	4.17	5		Materialization against the ACQ is more than trigger level
21	RAIL	KUNDARKI TPS	0.88	10.13	0	10.13	12		
22	RAIL	LALITPUR TPS	15.52	244.13	0	244.13	16		
23	RAIL	MAQSODPUR TPS	0.77	9.9	0	9.9	13		
24	RAIL	MEJA STPP	10.25	304.99	0	304.99	30		
25	RAIL	OBRA TPS	10.69	83.05	0	83.05	8		
26	RAIL	PARICHA TPS	10.4	255.19	0	255.19	25		
27	RAIL	PRAYAGRAJ TPP	19.55	23.21	0	23.21	1		Materialization against the ACQ is more than trigger level
28	PITHEAD	RIHAND STPS	42.24	294.86	0	294.86	7		
29	RAIL	ROSA TPP Ph-I	9.49	165.57	0	165.57	17		
30	PITHEAD	SINGRAULI STPS	31.55	292.71	0	292.71	9		
31	RAIL	TANDA TPS	17.06	392.52	27.24	419.76	25		
32	RAIL	UNCHAHAR TPS	13.67	199.97	0	199.97	15		
33	RAIL	UTRAULA TPS	0.96	6.26	0	6.26	7		
Total of Northern Region			407.96	4833.65	46.31	4879.96	12	0	

COAL INDIA LIMITED									
MARKETING & SALES DIVISION									
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT									
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
Western									
Chhattisgarh									
34	RAIL	AKALTARA TPS	15.02	229.64	0	229.64	15		
35	RAIL	BALCO TPS	9.22	18.17	0	18.17	2		Materialization against the ACQ is more than trigger level
36	ROAD	BANDAKHAR TPP	3.71	33.5	0	33.5	9		
37	RAIL	BARADARHA TPS	13.41	180.03	0	180.03	13		
38	RAIL	BHILAI TPS	5.96	57.19	0	57.19	10		
39	RAIL	BINJKOTE TPP	6.15	2.4	0	2.4	0		Materialization against the ACQ is more than trigger level
40	RAIL	DSPM TPS	8.34	81.89	0	81.89	10		
41	PITHEAD	KORBA STPS	38.59	206.27	0	206.27	5		
42	PITHEAD	KORBA-WEST TPS	21.36	128.97	0	128.97	6		
43	RAIL	LARA TPP	25.63	318.5	0	318.5	12		
44	ROAD	NAWAPARA TPP	6.15	23.24	0	23.24	4		Materialization against the ACQ is more than trigger level
45	RAIL	PATHADI TPP	8.41	53.77	0	53.77	6		Materialization against the ACQ is more than trigger level
46	PITHEAD	SIPAT STPS	31.29	451.21	0	451.21	14		
47	ROAD	TAMNAR TPP	24.46	329.99	0	329.99	13		
48	RAIL	UCHPINDA TPP	14.07	40.54	0	40.54	3		Materialization against the ACQ is more than trigger level
Gujarat									
49	RAIL-1500	GANDHI NAGAR TPS	5.62	53.73	0	53.73	10		
50	RAIL	SABARMATI (D-F STATIONS)	3.03	30.84	77.42	108.26	15		
51	RAIL	UKAI TPS	9.52	76.76	0	76.76	8		
52	RAIL-1500	WANAKBORI TPS	25.47	146.95	0	146.95	6		Materialization against the ACQ is more than trigger level
Madhya Pradesh									
53	PITHEAD	AMARKANTAK EXT TPS	2.08	63.92	0	63.92	31		
54	RAIL	ANUPPUR TPP	16.43	105	0	105	6		Materialization against the ACQ is more than trigger level
55	RAIL	BINA TPS	7.1	19.86	0	19.86	3		Materialization against the ACQ is more than trigger level
56	RAIL	GADARWARA TPP	10.88	181.72	39.51	221.23	20		
57	RAIL	KHARGONE STPP	12.91	128.49	0	128.49	10		
58	RAIL	SANJAY GANDHI TPS	16.62	206.61	0	206.61	12		
59	RAIL	SATPURA TPS	12.71	79.3	0	79.3	6		Non payment of dues
60	RAIL	SEIONI TPP	7.89	47.96	0	47.96	6		Materialization against the ACQ is more than trigger level
61	RAIL	SHREE SINGAJI TPP	23.59	227.81	0	227.81	10		
62	PITHEAD	VINDHYACHAL STPS	69.52	657.68	0	657.68	9		
Maharashtra									
63	RAIL	AMRAVATI TPS	14.98	42.36	0	42.36	3		Materialization against the ACQ is more than trigger level
64	RAIL	BHUSAWAL TPS	12.85	81.7	0	81.7	6		Non payment of dues
65	RAIL	BUTIBORI TPP	5.15	59.73	0	59.73	12		
66	RAIL	CHANDRAPUR(MAHARASHTRA) STPS	30.45	96.67	0	96.67	3		Non payment of dues
67	RAIL	DAHANU TPS	5.93	3.26	0	3.26	1		Materialization against the ACQ is more than trigger level
68	RAIL	DHARIWAL TPP	7.68	37.31	0	37.31	5		Materialization against the ACQ is more than trigger level
69	RAIL	GMR WARORA TPS	8.83	0.76	0	0.76	0		Materialization against the ACQ is more than trigger level
70	RAIL	KHAPARKHEDA TPS	19.36	91.36	0	91.36	5		Non payment of dues
71	RAIL	KORADI TPS	28.62	114.72	0	114.72	4		Non payment of dues
72	RAIL	MAUDA TPS	20.33	450.71	4.91	455.62	22		
73	RAIL	NASIK TPS	6.75	3.69	0	3.69	1		Non payment of dues
74	RAIL	PARAS TPS	6.04	19.63	0	19.63	3		Non payment of dues
75	RAIL	PARLI TPS	7.67	41.01	0	41.01	5		Non payment of dues
76	RAIL-1500	SOLAPUR STPS	13.92	143.71	4.9	148.61	11		
77	RAIL	TIRORA TPS	33.52	213.8	0	213.8	6		Materialization against the ACQ is more than trigger level
78	ROAD	WARDHA WARORA TPP	5.14	32.27	0	32.27	6		Materialization against the ACQ is more than trigger level
Total of Western Region			682.36	5614.63	126.74	5741.37	8	0	

COAL INDIA LIMITED									
MARKETING & SALES DIVISION									
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT									
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes)	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
Southern									
Andhra Pradesh									
79	RAIL-SEA	DAMODARAM SANJEEVAIAH TPS	13.6	22.83	0	22.83	2		Materialization against the ACQ is more than trigger level
80	RAIL	Dr. N.TATA RAO TPS	23.36	90.47	0	90.47	4		Materialization against the ACQ is more than trigger level
81	RAIL-SEA	PAINAMPURAM TPP	9.91	87.86	14.12	101.98	10		
82	RAIL	RAYALASEEMA TPS	16.77	32.38	0	32.38	2		Materialization against the ACQ is more than trigger level
83	RAIL	SIMHADRI	20.47	269.82	0	269.82	13		
84	RAIL-SEA	SGPL TPP	8.71	0.3	191.41	191.71	0		Change of name is under approval
85	RAIL	VIZAG TPP	10.45	152.27	0	152.27	15		
Karnataka									
86	RAIL	BELLARY TPS	15.48	31.37	0	31.37	2		Materialization against the ACQ is more than trigger level
87	RAIL	KUDGI STPP	17.11	252.72	15.62	268.34	16		
88	RAIL	RAICHUR TPS	16.28	137.93	0	137.93	8		
89	RAIL	YERMARUS TPP	13.73	24.09	0	24.09	2		Materialization against the ACQ is more than trigger level
Tamil Nadu									
90	RAIL-SEA-1500	METTUR TPS	11.35	14.7	0	14.7	1		Materialization against the ACQ is more than trigger level
91	RAIL-SEA-1500	METTUR TPS - II	5.56	27.4	0	27.4	5		Materialization against the ACQ is more than trigger level
92	RAIL-SEA	NORTH CHENNAI TPS	22.29	63.21	0	63.21	3		Materialization against the ACQ is more than trigger level
93	RAIL-SEA-1500	TUTICORIN TPS	14.44	260.31	0	260.31	18		
94	RAIL-SEA	VALLUR TPP	14.81	44.51	0	44.51	3		Materialization against the ACQ is more than trigger level
Telangana									
95	RAIL	BHADRADRI TPP	6.95	88.69	0	88.69	13		
96	PITHEAD	KAKATIYA TPS	7.9	291.71	0	291.71	37		
97	RAIL	KOTHAGUDEM TPS (NEW)	13.79	102.91	0	102.91	7		
98	RAIL	KOTHAGUDEM TPS (STAGE-7)	9.32	104	0	104	11		
99	PITHEAD	RAMAGUNDEM STPS	26.01	168.94	0	168.94	6		
100	PITHEAD	RAMAGUNDEM-B TPS	1	14.75	0	14.75	15		
101	RAIL	SINGARENI TPP	16.91	114.67	0	114.67	7		
Total of Southern Region			316.2	2397.84	221.15	2618.99	8	0	
Eastern									
Bihar									
102	RAIL	BARAUNI TPS	6.09	77.03	0	77.03	13		
103	RAIL	BARH I & II	11.27	410.17	0	410.17	36		
104	PITHEAD	KAHALGAON TPS	29.93	119.23	0	119.23	4		Materialization against the ACQ is more than trigger level
105	RAIL	MUZAFFARPUR TPS	5.76	78.29	0	78.29	14		
106	RAIL	NABINAGAR STPP	17.33	203.91	0	203.91	12		
107	RAIL	NABINAGAR TPP	10.79	32.41	0	32.41	3		Materialization against the ACQ is more than trigger level
Jharkhand									
108	RAIL	BOKARO TPS 'A' EXP	3.84	69.09	0	69.09	18		
109	RAIL	CHANDRAPURA (DVC) TPS	4.11	118.84	0	118.84	29		
110	RAIL	JOJOBERA TPS	2.06	42.72	0	42.72	21		
111	RAIL	KODARMA TPP	13.65	52.95	0	52.95	4		Materialization against the ACQ is more than trigger level
112	RAIL	MAHADEV PRASAD STPP	5.58	0.79	0	0.79	0		Materialization against the ACQ is more than trigger level
113	RAIL	MAITHON RB TPP	11.7	181.56	0	181.56	16		
114	RAIL	TENUGHAT TPS	3.94	19.3	0	19.3	5		Materialization against the ACQ is more than trigger level
Odisha									
115	PITHEAD	DARLIPALI STPS	23.14	180.03	0	180.03	8		
116	ROAD	DERANG TPP	16.46	427.33	0	427.33	26		
117	PITHEAD	IB VALLEY TPS	21.37	307.15	0	307.15	14		
118	RAIL	KAMALANGA TPS	17.43	44.47	0	44.47	3		Materialization against the ACQ is more than trigger level
119	RAIL	VEDANTA TPP	7.02	13.47	0	13.47	2		Materialization against the ACQ is more than trigger level
120	PITHEAD	TALCHER STPS	54.75	327.34	0	327.34	6		

COAL INDIA LIMITED								
MARKETING & SALES DIVISION								
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT								
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'				
				Indigenous	Import	Total	In Days	
West Bengal								
121	RAIL	BAKRESWAR TPS	12.85	61.01	0	61.01	5	Materialization against the ACQ is more than trigger level
122	RAIL	BANDEL TPS	4.9	1.75	0	1.75	0	Materialization against the ACQ is more than trigger level
123	RAIL	BUDGE BUDGE TPS	6.49	58.98	0	58.98	9	
124	RAIL	D.P.L. TPS	5.07	32.25	0	32.25	6	
125	RAIL	DURGAPUR STEEL TPS	11.62	82.42	0	82.42	7	
126	RAIL	DURGAPUR TPS	2.31	58.23	0	58.23	25	
127	PITHEAD	FARAKKA STPS	21.54	73.91	0	73.91	3	Materialization against the ACQ is more than trigger level
128	RAIL	HALDIA TPP	8.22	19.96	0	19.96	2	Materialization against the ACQ is more than trigger level
129	RAIL	HIRANMAYE TPP	3.25	82.97	0	82.97	26	
130	RAIL	KOLAGHAT TPS	14.79	11.8	0	11.8	1	Materialization against the ACQ is more than trigger level
131	RAIL	MEJIA TPS	30.27	114.77	0	114.77	4	Materialization against the ACQ is more than trigger level
132	RAIL	RAGHUNATHPUR TPP	11.96	68.93	0	68.93	6	Materialization against the ACQ is more than trigger level
133	RAIL	SAGARDIGHI TPS	18.34	107.61	0	107.61	6	Materialization against the ACQ is more than trigger level
134	RAIL	SANTALDIH TPS	7.79	12.67	0	12.67	2	Materialization against the ACQ is more than trigger level
135	RAIL	SOUTHERN REPL. TPS	1.23	10.37	0	10.37	8	
Total of Eastern Region			426.85	3503.71	0	3503.71	8	0
North Eastern								
Assam								
136	RAIL	BONGAIGAON TPP	6.71	107.39	0	107.39	16	
Total of North Eastern Region			6.71	107.39	0	107.39	16	0
Total Coal stock			<b>1840.08</b>	<b>16457.22</b>	<b>394.2</b>	<b>16851</b>	<b>9</b>	<b>0</b>

**Note**

1. [https://cea.nic.in/wp-content/uploads/2020/04/guidelines\\_dcr.pdf](https://cea.nic.in/wp-content/uploads/2020/04/guidelines_dcr.pdf)

2. % Materialization against ACQ is taken from 01.04.21 to 22.11.2021



Link for New Methodology dated 08.11.2017

(As on 27.11.2021)

COAL INDIA LIMITED									
MARKETING & SALES DIVISION									
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT									
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			In Days	Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'					
				Indigenous	Import	Total			
Haryana									
1	RAIL	INDIRA GANDHI STPP	16.19	210.43	0	210.43	13		
2	RAIL	MAHATMA GANDHI TPS	11.56	71.59	0	71.59	6		Materialization against the ACQ is more than trigger level
3	RAIL	PANIPAT TPS	7.59	46.47	0	46.47	6		Materialization against the ACQ is more than trigger level
4	RAIL	RAJIV GANDHI TPS	11.2	293.8	0	293.8	26		
5	RAIL	YAMUNA NAGAR TPS	5.2	123.83	0	123.83	24		
Punjab									
6	RAIL-1500	GH TPS (LEH.MOH.)	8.59	190.37	0	190.37	22		
7	RAIL-1500	GOINDWAL SAHIB TPP	4.85	0.91	0	0.91	0		Materialization against the ACQ is more than trigger level
8	RAIL	RAJPURA TPP	9.15	158.04	0	158.04	17		
9	RAIL	ROPAR TPS	7.76	125.6	0	125.6	16		
10	RAIL-1500	TALWANDI SABO TPP	23.77	76.1	0	76.1	3		Materialization against the ACQ is more than trigger level
Rajasthan									
11	RAIL	CHHABRA-I PH-1 TPP	5.23	17.35	0	17.35	3		Materialization against the ACQ is more than trigger level
12	RAIL	KAWAI TPS	16.75	95.98	0	95.98	6		Materialization against the ACQ is more than trigger level
13	RAIL	KOTA TPS	17.4	135.61	0	135.61	8		
14	RAIL-1500	SURATGARH TPS	13.21	76.18	0	76.18	6		Materialization against the ACQ is more than trigger level
Uttar Pradesh									
15	PITHEAD	ANPARA C TPS	15.82	20.14	0	20.14	1		Materialization against the ACQ is more than trigger level
16	PITHEAD	ANPARA TPS	28.42	341.87	0	341.87	12		
17	RAIL	BARKHERA TPS	0.77	4.03	0	4.03	5		Materialization against the ACQ is more than trigger level
18	RAIL	DADRI (NCTPP)	16.19	394.84	19.07	413.91	26		
19	RAIL	HARDUAGANJ TPS	5.17	141.43	0	141.43	27		
20	RAIL	KHAMBARKHERA TPS	0.77	4.17	0	4.17	5		Materialization against the ACQ is more than trigger level
21	RAIL	KUNDARKI TPS	0.88	10.13	0	10.13	12		
22	RAIL	LALITPUR TPS	15.52	246.15	0	246.15	16		
23	RAIL	MAQSODPUR TPS	0.77	9.9	0	9.9	13		
24	RAIL	MEJA STPP	10.25	305.42	0	305.42	30		
25	RAIL	OBRA TPS	10.69	77.18	0	77.18	7		
26	RAIL	PARICHA TPS	10.4	255.19	0	255.19	25		
27	RAIL	PRAYAGRAJ TPP	19.76	22.64	0	22.64	1		Materialization against the ACQ is more than trigger level
28	PITHEAD	RIHAND STPS	41.2	299.31	0	299.31	7		
29	RAIL	ROSA TPP Ph-I	9.49	175.3	0	175.3	18		
30	PITHEAD	SINGRAULI STPS	31.45	292.54	0	292.54	9		
31	RAIL	TANDA TPS	17.29	393.12	27.04	420.16	24		
32	RAIL	UNCHAHAR TPS	13.67	201.84	0	201.84	15		
33	RAIL	UTRAULA TPS	0.96	6.26	0	6.26	7		
Total of Northern Region			407.92	4823.72	46.11	4869.83	12	0	

COAL INDIA LIMITED								
MARKETING & SALES DIVISION								
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT								
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'				
				Indigenous	Import	Total	In Days	
Western								
Chhatisgarh								
34	RAIL	AKALTARA TPS	15.02	228.11	0	228.11	15	
35	RAIL	BALCO TPS	9.15	15.43	0	15.43	2	Materialization against the ACQ is more than trigger level
36	ROAD	BANDAKHAR TPP	3.7	32.71	0	32.71	9	
37	RAIL	BARADARHA TPS	16.48	174.13	0	174.13	11	
38	RAIL	BHILAI TPS	6	61.24	0	61.24	10	
39	RAIL	BINJNOTE TPP	6.15	2.55	0	2.55	0	Materialization against the ACQ is more than trigger level
40	RAIL	DSPM TPS	8.47	87.06	0	87.06	10	
41	PITHEAD	KORBA STPS	38.06	213.9	0	213.9	6	
42	PITHEAD	KORBA-WEST TPS	21.29	130.65	0	130.65	6	
43	RAIL	LARA TPP	25.98	326.55	0	326.55	13	
44	ROAD	NAWAPARA TPP	6.15	23.24	0	23.24	4	Materialization against the ACQ is more than trigger level
45	RAIL	PATHADI TPP	8.42	55.58	0	55.58	7	
46	PITHEAD	SIPAT STPS	31.22	452.96	0	452.96	15	
47	ROAD	TAMNAR TPP	24.46	338.37	0	338.37	14	
48	RAIL	UCHPINDA TPP	14.07	40.94	0	40.94	3	Materialization against the ACQ is more than trigger level
Gujarat								
49	RAIL-1500	GANDHI NAGAR TPS	5.89	56.15	0	56.15	10	
50	RAIL	SABARMATI (D-F STATIONS)	3.04	32.29	76.83	109.12	15	
51	RAIL	UKAI TPS	9.52	81.76	0	81.76	9	
52	RAIL-1500	WANAKBORI TPS	26.08	141.16	0	141.16	5	Materialization against the ACQ is more than trigger level
Madhya Pradesh								
53	PITHEAD	AMARKANTAK EXT TPS	2.56	62.72	0	62.72	25	
54	RAIL	ANUPPUR TPP	16.43	97	0	97	6	Materialization against the ACQ is more than trigger level
55	RAIL	BINA TPS	7.08	20.34	0	20.34	3	Materialization against the ACQ is more than trigger level
56	RAIL	GADARWARA TPP	10.88	184.18	38.81	222.99	20	
57	RAIL	KHARGONE STPP	13.23	118.41	0	118.41	9	
58	RAIL	SANJAY GANDHI TPS	16.18	204.72	0	204.72	13	
59	RAIL	SATPURA TPS	12.71	84.41	0	84.41	7	
60	RAIL	SEIONI TPP	9.3	49.13	0	49.13	5	Materialization against the ACQ is more than trigger level
61	RAIL	SHREE SINGAJI TPP	23.9	223.06	0	223.06	9	
62	PITHEAD	VINDHYACHAL STPS	70.22	655.23	0	655.23	9	
Maharashtra								
63	RAIL	AMRAVATI TPS	14.77	43.99	0	43.99	3	Materialization against the ACQ is more than trigger level
64	RAIL	BHUSAWAL TPS	12.86	81.25	0	81.25	6	Non payment of dues
65	RAIL	BUTIBORI TPP	5.15	59.73	0	59.73	12	
66	RAIL	CHANDRAPUR(MAHARASHTRA) STPS	30.45	96.85	0	96.85	3	Non payment of dues
67	RAIL	DAHANU TPS	5.93	1.17	0	1.17	0	Materialization against the ACQ is more than trigger level
68	RAIL	DHARIWAL TPP	7.65	36.97	0	36.97	5	Materialization against the ACQ is more than trigger level
69	RAIL	GMR WARORA TPS	8.92	0.27	0	0.27	0	Materialization against the ACQ is more than trigger level
70	RAIL	KHAPARKHEDA TPS	19.23	95.14	0	95.14	5	Non payment of dues
71	RAIL	KORADI TPS	29.2	108.15	0	108.15	4	Non payment of dues
72	RAIL	MAUDA TPS	20.72	452.5	5.81	458.31	22	
73	RAIL	NASIK TPS	6.75	9.45	0	9.45	1	Non payment of dues
74	RAIL	PARAS TPS	5.97	12.79	0	12.79	2	Non payment of dues
75	RAIL	PARLI TPS	7.67	40.35	0	40.35	5	Non payment of dues
76	RAIL-1500	SOLAPUR STPS	15.12	149.35	2.02	151.37	10	
77	RAIL	TIRORA TPS	33.88	213.34	0	213.34	6	Materialization against the ACQ is more than trigger level
78	ROAD	WARDHA WARORA TPP	5.03	33.94	0	33.94	7	
Total of Western Region			690.74	5629.22	123.47	5752.69	8	0

COAL INDIA LIMITED								
MARKETING & SALES DIVISION								
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT								
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'				
				Indigenous	Import	Total	In Days	
Southern								
Andhra Pradesh								
79	RAIL-SEA	DAMODARAM SANJEEVAIAH TPS	13.6	15.88	0	15.88	1	Materialization against the ACQ is more than trigger level
80	RAIL	Dr. N.TATA RAO TPS	24.14	91.54	0	91.54	4	Materialization against the ACQ is more than trigger level
81	RAIL-SEA	PAINAMPURAM TPP	9.91	90.12	11.01	101.13	10	
82	RAIL	RAYALASEEMA TPS	16.77	38.38	0	38.38	2	Materialization against the ACQ is more than trigger level
83	RAIL	SIMHADRI	20.69	284.83	0	284.83	14	
84	RAIL-SEA	SGPL TPP	8.71	0.3	188.22	188.52	0	Change of name is under approval
85	RAIL	VIZAG TPP	10.45	152.27	0	152.27	15	
Karnataka								
86	RAIL	BELLARY TPS	15.48	44.13	0	44.13	3	Materialization against the ACQ is more than trigger level
87	RAIL	KUDGI STPP	17.11	256.61	19.49	276.1	16	
88	RAIL	RAICHUR TPS	16.28	144.13	0	144.13	9	
89	RAIL	YERMARUS TPP	13.73	13.34	0	13.34	1	Materialization against the ACQ is more than trigger level
Tamil Nadu								
90	RAIL-SEA-1500	METTUR TPS	10.38	15.79	0	15.79	2	Materialization against the ACQ is more than trigger level
91	RAIL-SEA-1500	METTUR TPS - II	5.56	21.74	0	21.74	4	Materialization against the ACQ is more than trigger level
92	RAIL-SEA	NORTH CHENNAI TPS	22.05	69.56	0	69.56	3	Materialization against the ACQ is more than trigger level
93	RAIL-SEA-1500	TUTICORIN TPS	14.65	283.12	0	283.12	19	
94	RAIL-SEA	VALLUR TPP	14.81	43.91	0	43.91	3	Materialization against the ACQ is more than trigger level
Telangana								
95	RAIL	BHADRADRI TPP	6.95	86.38	0	86.38	12	
96	PITHEAD	KAKATIYA TPS	7.9	297.48	0	297.48	38	
97	RAIL	KOTHAGUDEM TPS (NEW)	13.87	98.28	0	98.28	7	
98	RAIL	KOTHAGUDEM TPS (STAGE-7)	9.33	102.45	0	102.45	11	
99	PITHEAD	RAMAGUNDEM STPS	26.34	160.65	0	160.65	6	
100	PITHEAD	RAMAGUNDEM-B TPS	1	13.88	0	13.88	14	
101	RAIL	SINGARENI TPP	16.86	120.89	0	120.89	7	
Total of Southern Region			316.57	2445.66	218.72	2664.38	8	0
Eastern								
Bihar								
102	RAIL	BARAUNI TPS	6.22	69.8	0	69.8	11	
103	RAIL	BARH I & II	11.27	409.63	0	409.63	36	
104	PITHEAD	KAHALGAON TPS	30.47	122.02	0	122.02	4	Materialization against the ACQ is more than trigger level
105	RAIL	MUZAFFARPUR TPS	5.76	84.27	0	84.27	15	
106	RAIL	NABINAGAR STPP	17.57	200.39	0	200.39	11	
107	RAIL	NABINAGAR TPP	10.7	32.81	0	32.81	3	Materialization against the ACQ is more than trigger level
Jharkhand								
108	RAIL	BOKARO TPS 'A' EXP	3.84	72.73	0	72.73	19	
109	RAIL	CHANDRAPURA (DVC) TPS	4.96	115.37	0	115.37	23	
110	RAIL	JOJOBERA TPS	2.06	40.97	0	40.97	20	
111	RAIL	KODARMA TPP	13.68	46.54	0	46.54	3	Materialization against the ACQ is more than trigger level
112	RAIL	MAHADEV PRASAD STPP	5.55	1.16	0	1.16	0	Materialization against the ACQ is more than trigger level
113	RAIL	MAITHON RB TPP	11.8	183.03	0	183.03	16	
114	RAIL	TENUGHAT TPS	3.94	17.65	0	17.65	4	Materialization against the ACQ is more than trigger level
Odisha								
115	PITHEAD	DARLIPALI STPS	21.4	196.27	0	196.27	9	
116	ROAD	DERANG TPP	15.59	424.89	0	424.89	27	
117	PITHEAD	JB VALLEY TPS	22.06	310.47	0	310.47	14	
118	RAIL	KAMALANGA TPS	17.35	33.73	0	33.73	2	Materialization against the ACQ is more than trigger level
119	RAIL	VEDANTA TPP	7.09	21.68	0	21.68	3	Materialization against the ACQ is more than trigger level
120	PITHEAD	TALCHER STPS	54.61	299.47	0	299.47	5	Materialization against the ACQ is more than trigger level

COAL INDIA LIMITED								
MARKETING & SALES DIVISION								
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT								
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'				
				Indigenous	Import	Total	In Days	
West Bengal								
121	RAIL	BAKRESWAR TPS	12.85	58.29	0	58.29	5	Materialization against the ACQ is more than trigger level
122	RAIL	BANDEL TPS	4.82	0.86	0	0.86	0	Materialization against the ACQ is more than trigger level
123	RAIL	BUDGE BUDGE TPS	6.49	67.57	0	67.57	10	
124	RAIL	D.P.L. TPS	5.28	29.61	0	29.61	6	
125	RAIL	DURGAPUR STEEL TPS	11.59	86.4	0	86.4	7	
126	RAIL	DURGAPUR TPS	2.31	58.23	0	58.23	25	
127	PITHEAD	FARAKKA STPS	22.55	77.05	0	77.05	3	Materialization against the ACQ is more than trigger level
128	RAIL	HALDIA TPP	8.22	22.85	0	22.85	3	Materialization against the ACQ is more than trigger level
129	RAIL	HIRANMAYE TPP	3.25	82.97	0	82.97	26	
130	RAIL	KOLAGHAT TPS	14.79	6.3	0	6.3	0	Materialization against the ACQ is more than trigger level
131	RAIL	MEJIA TPS	29.72	118.71	0	118.71	4	Materialization against the ACQ is more than trigger level
132	RAIL	RAGHUNATHPUR TPP	11.9	67.1	0	67.1	6	Materialization against the ACQ is more than trigger level
133	RAIL	SAGARDIGHI TPS	17.42	115.4	0	115.4	7	
134	RAIL	SANTALDIH TPS	7.63	16.02	0	16.02	2	Materialization against the ACQ is more than trigger level
135	RAIL	SOUTHERN REPL. TPS	1.23	9.79	0	9.79	8	
Total of Eastern Region			425.97	3500.03	0	3500.03	8	0
North Eastern								
Assam								
136	RAIL	BONGAIGAON TPP	7	103.59	0	103.59	15	
Total of North Eastern Region			7	103.59	0	103.59	15	0
Total Coal stock			<b>1848.2</b>	<b>16502.22</b>	<b>388.3</b>	<b>16891</b>	<b>9</b>	<b>0</b>

**Note**

1. [https://cea.nic.in/wp-content/uploads/2020/04/guidelines\\_dcr.pdf](https://cea.nic.in/wp-content/uploads/2020/04/guidelines_dcr.pdf)

2. % Materialization against ACQ is taken from 01.04.21 to 22.11.2021



Link for New Methodology dated 08.11.2017



(As on 28.11.2021)

COAL INDIA LIMITED								
MARKETING & SALES DIVISION								
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT								
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'				
				Indigenous	Import	Total	In Days	
Haryana								
1	RAIL	INDIRA GANDHI STPP	16.08	197.4	0	197.4	12	
2	RAIL	MAHATMA GANDHI TPS	12.83	72.17	0	72.17	6	Materialization against the ACQ is more than trigger level
3	RAIL	PANIPAT TPS	7.26	40.29	0	40.29	6	Materialization against the ACQ is more than trigger level
4	RAIL	RAJIV GANDHI TPS	11.2	305.58	0	305.58	27	
5	RAIL	YAMUNA NAGAR TPS	5.2	127.86	0	127.86	25	
Punjab								
6	RAIL-1500	GH TPS (LEH.MOH.)	8.59	190.37	0	190.37	22	
7	RAIL-1500	GOINDWAL SAHIB TPP	4.85	0.91	0	0.91	0	Materialization against the ACQ is more than trigger level
8	RAIL	RAJPURA TPP	9.15	157.35	0	157.35	17	
9	RAIL	ROPAR TPS	7.76	125.6	0	125.6	16	
10	RAIL-1500	TALWANDI SABO TPP	24.32	58.27	0	58.27	2	Materialization against the ACQ is more than trigger level
Rajasthan								
11	RAIL	CHHABRA-I PH-1 TPP	5.32	15.15	0	15.15	3	Materialization against the ACQ is more than trigger level
12	RAIL	KAWAI TPS	16.84	95.77	0	95.77	6	Materialization against the ACQ is more than trigger level
13	RAIL	KOTA TPS	17.21	135.62	0	135.62	8	
14	RAIL-1500	SURATGARH TPS	13.21	76.02	0	76.02	6	Materialization against the ACQ is more than trigger level
Uttar Pradesh								
15	PITHEAD	ANPARA C TPS	15.96	15.9	0	15.9	1	Materialization against the ACQ is more than trigger level
16	PITHEAD	ANPARA TPS	28.06	354.35	0	354.35	13	
17	RAIL	BARKHERA TPS	0.77	4.03	0	4.03	5	Materialization against the ACQ is more than trigger level
18	RAIL	DADRI (NCTPP)	16.19	402.33	19.07	421.4	26	
19	RAIL	HARDUAGANJ TPS	5.17	142.95	0	142.95	28	
20	RAIL	KHAMBARKHERA TPS	0.77	4.17	0	4.17	5	Materialization against the ACQ is more than trigger level
21	RAIL	KUNDARKI TPS	0.88	10.13	0	10.13	12	
22	RAIL	LALITPUR TPS	15.52	248.37	0	248.37	16	
23	RAIL	MAQSODPUR TPS	0.77	9.9	0	9.9	13	
24	RAIL	MEJA STPP	10.25	303.48	0	303.48	30	
25	RAIL	OBRA TPS	10.69	77.49	0	77.49	7	
26	RAIL	PARICHA TPS	10.4	255.19	0	255.19	25	
27	RAIL	PRAYAGRAJ TPP	19.93	16.49	0	16.49	1	Materialization against the ACQ is more than trigger level
28	PITHEAD	RIHAND STPS	39.99	300.79	0	300.79	8	
29	RAIL	ROSA TPP Ph-I	9.49	181.82	0	181.82	19	
30	PITHEAD	SINGRAULI STPS	31.44	294.94	0	294.94	9	
31	RAIL	TANDA TPS	17.98	396.16	25.04	421.2	23	
32	RAIL	UNCHAHAR TPS	13.67	216.22	0	216.22	16	
33	RAIL	UTRAULA TPS	0.96	6.26	0	6.26	7	
Total of Northern Region			408.71	4839.33	44.11	4883.44	12	0

COAL INDIA LIMITED								
MARKETING & SALES DIVISION								
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT								
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'				
				Indigenous	Import	Total	In Days	
Western								
Chhatisgarh								
34	RAIL	AKALTARA TPS	15.02	226.38	0	226.38	15	
35	RAIL	BALCO TPS	8.89	21.16	0	21.16	2	Materialization against the ACQ is more than trigger level
36	ROAD	BANDAKHAR TPP	3.69	31.54	0	31.54	9	
37	RAIL	BARADARHA TPS	19.47	178.85	0	178.85	9	
38	RAIL	BHILAI TPS	6.39	61.85	0	61.85	10	
39	RAIL	BINJNOTE TPP	6.15	5.21	0	5.21	1	Materialization against the ACQ is more than trigger level
40	RAIL	DSPM TPS	8.51	94.01	0	94.01	11	
41	PITHEAD	KORBA STPS	38.34	216.54	0	216.54	6	
42	PITHEAD	KORBA-WEST TPS	21.06	132.97	0	132.97	6	
43	RAIL	LARA TPP	26.38	333.05	0	333.05	13	
44	ROAD	NAWAPARA TPP	6.15	23.24	0	23.24	4	Materialization against the ACQ is more than trigger level
45	RAIL	PATHADI TPP	8.32	57.91	0	57.91	7	
46	PITHEAD	SIPAT STPS	32.66	449.56	0	449.56	14	
47	ROAD	TAMNAR TPP	24.46	347.79	0	347.79	14	
48	RAIL	UCHPINDA TPP	14.07	43.22	0	43.22	3	Materialization against the ACQ is more than trigger level
Gujarat								
49	RAIL-1500	GANDHI NAGAR TPS	5.72	58.39	0	58.39	10	
50	RAIL	SABARMATI (D-F STATIONS)	3.06	33.79	76.25	110.04	16	
51	RAIL	UKAI TPS	9.52	79.77	0	79.77	8	
52	RAIL-1500	WANAKBORI TPS	27.69	134.17	0	134.17	5	Materialization against the ACQ is more than trigger level
Madhya Pradesh								
53	PITHEAD	AMARKANTAK EXT TPS	3.02	60.74	0	60.74	20	
54	RAIL	ANUPPUR TPP	16.43	94	0	94	6	Materialization against the ACQ is more than trigger level
55	RAIL	BINA TPS	7.14	20.71	0	20.71	3	Materialization against the ACQ is more than trigger level
56	RAIL	GADARWARA TPP	10.88	195.83	41.57	237.4	22	
57	RAIL	KHARGONE STPP	13.73	124.3	0	124.3	9	
58	RAIL	SANJAY GANDHI TPS	15.77	198.35	0	198.35	13	
59	RAIL	SATPURA TPS	12.71	84.54	0	84.54	7	
60	RAIL	SEIONI TPP	9.28	59.69	0	59.69	6	Materialization against the ACQ is more than trigger level
61	RAIL	SHREE SINGAJI TPP	24.17	216.15	0	216.15	9	
62	PITHEAD	VINDHYACHAL STPS	71.81	657.41	0	657.41	9	
Maharashtra								
63	RAIL	AMRAVATI TPS	14.46	53.81	0	53.81	4	Materialization against the ACQ is more than trigger level
64	RAIL	BHUSAWAL TPS	13.56	81.45	0	81.45	6	Non payment of dues
65	RAIL	BUTIBORI TPP	5.15	59.73	0	59.73	12	
66	RAIL	CHANDRAPUR(MAHARASHTRA) STPS	30.45	98.32	0	98.32	3	Non payment of dues
67	RAIL	DAHANU TPS	5.96	4.53	0	4.53	1	Materialization against the ACQ is more than trigger level
68	RAIL	DHARIWAL TPP	7.75	33.55	0	33.55	4	Materialization against the ACQ is more than trigger level
69	RAIL	GMR WARORA TPS	8.94	2.35	0	2.35	0	Materialization against the ACQ is more than trigger level
70	RAIL	KHAPARKHEDA TPS	19.22	96.41	0	96.41	5	Non payment of dues
71	RAIL	KORADI TPS	29.35	109.02	0	109.02	4	Non payment of dues
72	RAIL	MAUDA TPS	20.96	464.29	11.32	475.61	23	
73	RAIL	NASIK TPS	6.75	8.32	0	8.32	1	Non payment of dues
74	RAIL	PARAS TPS	6.02	14.66	0	14.66	2	Non payment of dues
75	RAIL	PARLI TPS	7.67	35.81	0	35.81	5	Non payment of dues
76	RAIL-1500	SOLAPUR STPS	15.62	151.51	0	151.51	10	
77	RAIL	TIRORA TPS	33.81	211.58	0	211.58	6	Materialization against the ACQ is more than trigger level
78	ROAD	WARDHA WARORA TPP	5	35.97	0	35.97	7	
Total of Western Region			701.16	5702.43	129.14	5831.57	8	0

COAL INDIA LIMITED								
MARKETING & SALES DIVISION								
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT								
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'				
				Indigenous	Import	Total	In Days	
Southern								
Andhra Pradesh								
79	RAIL-SEA	DAMODARAM SANJEEVAIAH TPS	13.6	9.09	0	9.09	1	Materialization against the ACQ is more than trigger level
80	RAIL	Dr. N.TATA RAO TPS	24.67	82.65	0	82.65	3	Materialization against the ACQ is more than trigger level
81	RAIL-SEA	PAINAMPURAM TPP	9.91	83.32	17.77	101.09	10	
82	RAIL	RAYALASEEMA TPS	16.77	44.82	0	44.82	3	Materialization against the ACQ is more than trigger level
83	RAIL	SIMHADRI	21.05	312.5	0	312.5	15	
84	RAIL-SEA	SGPL TPP	8.71	0.3	183.75	184.05	0	Change of name is under approval
85	RAIL	VIZAG TPP	10.45	152.27	0	152.27	15	
Karnataka								
86	RAIL	BELLARY TPS	15.48	49.19	0	49.19	3	Materialization against the ACQ is more than trigger level
87	RAIL	KUDGI STPP	17.11	256.61	19.49	276.1	16	
88	RAIL	RAICHUR TPS	16.28	153.54	0	153.54	9	
89	RAIL	YERMARUS TPP	13.73	7.71	0	7.71	1	Materialization against the ACQ is more than trigger level
Tamil Nadu								
90	RAIL-SEA-1500	METTUR TPS	9.38	13.48	0	13.48	1	Materialization against the ACQ is more than trigger level
91	RAIL-SEA-1500	METTUR TPS - II	5.83	17.68	0	17.68	3	Materialization against the ACQ is more than trigger level
92	RAIL-SEA	NORTH CHENNAI TPS	22.56	69.77	0	69.77	3	Materialization against the ACQ is more than trigger level
93	RAIL-SEA-1500	TUTICORIN TPS	14.77	307.08	0	307.08	21	
94	RAIL-SEA	VALLUR TPP	14.81	39.42	0	39.42	3	Materialization against the ACQ is more than trigger level
Telangana								
95	RAIL	BHADRADRI TPP	6.95	87.88	0	87.88	13	
96	PITHEAD	KAKATIYA TPS	7.9	304.89	0	304.89	39	
97	RAIL	KOTHAGUDEM TPS (NEW)	14.24	94.75	0	94.75	7	
98	RAIL	KOTHAGUDEM TPS (STAGE-7)	9.38	106.78	0	106.78	11	
99	PITHEAD	RAMAGUNDEM STPS	26.72	160.25	0	160.25	6	
100	PITHEAD	RAMAGUNDEM-B TPS	1	13.01	0	13.01	13	
101	RAIL	SINGARENI TPP	16.84	123.31	0	123.31	7	
Total of Southern Region			318.14	2490.3	221.01	2711.31	9	0
Eastern								
Bihar								
102	RAIL	BARAUNI TPS	6.36	66.87	0	66.87	11	
103	RAIL	BARH I & II	11.27	418.65	0	418.65	37	
104	PITHEAD	KAHALGAON TPS	31.35	123.77	0	123.77	4	Materialization against the ACQ is more than trigger level
105	RAIL	MUZAFFARPUR TPS	5.76	83.41	0	83.41	14	
106	RAIL	NABINAGAR STPP	17.77	208.91	0	208.91	12	
107	RAIL	NABINAGAR TPP	10.89	33.88	0	33.88	3	Materialization against the ACQ is more than trigger level
Jharkhand								
108	RAIL	BOKARO TPS 'A' EXP	3.84	72.73	0	72.73	19	
109	RAIL	CHANDRAPURA (DVC) TPS	5.97	119.81	0	119.81	20	
110	RAIL	JOJOBERA TPS	2.06	43.37	0	43.37	21	
111	RAIL	KODARMA TPP	13.58	46.95	0	46.95	3	Materialization against the ACQ is more than trigger level
112	RAIL	MAHADEV PRASAD STPP	5.94	1.16	0	1.16	0	Materialization against the ACQ is more than trigger level
113	RAIL	MAITHON RB TPP	11.9	185.31	0	185.31	16	
114	RAIL	TENUGHAT TPS	3.94	19.27	0	19.27	5	Materialization against the ACQ is more than trigger level
Odisha								
115	PITHEAD	DARLIPALI STPS	19.64	212.7	0	212.7	11	
116	ROAD	DERANG TPP	14.53	429.6	0	429.6	30	
117	PITHEAD	JB VALLEY TPS	22.66	307.93	0	307.93	14	
118	RAIL	KAMALANGA TPS	17.25	27.56	0	27.56	2	Materialization against the ACQ is more than trigger level
119	RAIL	VEDANTA TPP	7.05	16.09	0	16.09	2	Materialization against the ACQ is more than trigger level
120	PITHEAD	TALCHER STPS	53.65	312.59	0	312.59	6	Materialization against the ACQ is more than trigger level

COAL INDIA LIMITED								
MARKETING & SALES DIVISION								
COAL STOCK POSITION OF POWER PLANTS HAVING COAL LINKAGE WITH COAL INDIA LIMITED & SCCL AS PER CEA REPORT								
Region/State	Mode of Transport	Name of Thermal Power Station	Requirement for the day (In '000 Tonnes')	Actual Stock			Status of Criticality as per "New methodology for monitoring of coal stock at coal based thermal power plants" dated 08.11.2017 Critical(*)/Supercritical(**)	Reasons for not considering the plant under critical/super critical category inspite of plant carrying low stock
				In '000 Tonnes'				
				Indigenous	Import	Total	In Days	
West Bengal								
121	RAIL	BAKRESWAR TPS	12.84	59.6	0	59.6	5	Materialization against the ACQ is more than trigger level
122	RAIL	BANDEL TPS	4.83	0.9	0	0.9	0	Materialization against the ACQ is more than trigger level
123	RAIL	BUDGE BUDGE TPS	6.4	69.04	0	69.04	11	
124	RAIL	D.P.L. TPS	5.58	32.58	0	32.58	6	
125	RAIL	DURGAPUR STEEL TPS	11.58	91.26	0	91.26	8	
126	RAIL	DURGAPUR TPS	2.31	58.23	0	58.23	25	
127	PITHEAD	FARAKKA STPS	23.52	75.55	0	75.55	3	Materialization against the ACQ is more than trigger level
128	RAIL	HALDIA TPP	8.18	16.02	0	16.02	2	Materialization against the ACQ is more than trigger level
129	RAIL	HIRANMAYE TPP	3.25	86.39	0	86.39	27	
130	RAIL	KOLAGHAT TPS	14.79	4.56	0	4.56	0	Materialization against the ACQ is more than trigger level
131	RAIL	MEJIA TPS	29.23	123.58	0	123.58	4	Materialization against the ACQ is more than trigger level
132	RAIL	RAGHUNATHPUR TPP	11.93	62.61	0	62.61	5	Materialization against the ACQ is more than trigger level
133	RAIL	SAGARDIGHI TPS	16.3	123.8	0	123.8	8	
134	RAIL	SANTALDIH TPS	7.52	25.79	0	25.79	3	Materialization against the ACQ is more than trigger level
135	RAIL	SOUTHERN REPL. TPS	1.23	9.81	0	9.81	8	
Total of Eastern Region			424.9	3570.28	0	3570.28	8	0
North Eastern								
Assam								
136	RAIL	BONGAIGAON TPP	7.23	101.05	0	101.05	14	
Total of North Eastern Region			7.23	101.05	0	101.05	14	0
Total Coal stock			<b>1860.14</b>	<b>16703.39</b>	<b>394.26</b>	<b>17098</b>	<b>9</b>	<b>0</b>

**Note**

1. [https://cea.nic.in/wp-content/uploads/2020/04/guidelines\\_dcr.pdf](https://cea.nic.in/wp-content/uploads/2020/04/guidelines_dcr.pdf)

2. % Materialization against ACQ is taken from 01.04.21 to 22.11.2021



Link for New Methodology dated 08.11.2017